




600 X 1200 MM ——— 800 X 800 MM

MTH
SUPERIOR EXPERT AFFORDABLE



CURATED COLLECTION

The broad color range replicates the nuances and veins of the original natural material with a high degree of detail. Pure whites with a bright background, inspired by the textures of classic Italian marbles. Warm shades to bring out the sophistication of walls and floors. Grays and blacks that envelop elegant spaces. Precious accents that are ideal for trendy spaces.



BEYOND THE SURFACE

The places we live in constantly remind us of who we are, what we love, and why. Every surface is a continuous reminder of stories, memories, gestures, gatherings and inspirations, to touch, see and feel.




AVAILABLE IN TWO SIZES

800 X 800 MM | 600 X 1200 MM

Tradition with modernity, functionality with beauty, technology with sustainability, to offer fascinating and durable ceramic solutions.

Morbi Tiles Hub has been able to evolve through extensive knowledge of the material, supported by a constant commitment to research and development. This allows it to propose increasingly innovative and original solutions, so that our living space becomes a place where we feel comfortable, where different customs and ways of living take place, creating a wider, richer, and more rational concept of living.





Platform and Washstand
Bathroom Floor & Wall Surface
Customization
Door Panel
Wall
Electrical Equipment

Kitchen Counter Tops
Interior Decoration
Tabletop
Coffee Table
Background Wall
Working Table



ENDLESS POSSIBILITIES

Not just floors and wall: MTH Surfaces allows you to use the marble effect in any interior design to create furnishing elements such as tables, counter tops splash guards and sinks. The quality of MTH porcelain tiles guarantees high performance in any use

USECASE




Floor & Wall Tiles



Water Resistant



Hygienic



Unalterable Colors



Fireproof



Ecologic




Resistant To Stains



Resistant To Chemicals



Wear Resistant



Scratch Resistant



Anti Slip

FEATURES OF OUR PRODUCTS

Curated collection is MTH's latest innovation in our decoration concept. In so many aspects, this new aesthetic proposal is by far more durable, resistant and versatile. Becoming a functional key for Interior and exterior floor and wall tiles.

Designs and patterns that answer to current trends and whose technical characteristics make them usable in an endless number of applications.



GLOSSY COLLECTION

The 800X800mm series comprises multiple designs all of which are suited to completely make a space into an awe-inspiring spectacle just by their mere presence.

800 X 800 MM



HIGH GLOSSY



800 X 800 MM




Finish
High Glossy

Random
2

Thickness
9 MM

2901


A series that is purity
and sophistication.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2010

Expressive graphics & design details.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
3

Thickness
9 MM

2011

A perfect stylish match.






GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
3

Thickness
9 MM

2012

Design accents on authentic surfaces.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
3

Thickness
9 MM

2014

Surfaces made to impress.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
6

Thickness
9 MM

2015


Irresistible floral decors.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2016

For warm and enveloping spaces.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2017

It's all in the details.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
3

Thickness
9 MM

2018

Modern and versatile tones for your space.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2019

Elegance in full color.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
3

Thickness
9 MM

2020


Glamorous intimate spaces.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2021


Radiating pure brightness.



GLOSSY COLLECTION



800 X 800 MM



Finish
Glossy


Random
3

Thickness
9 MM



2022

For contemporary spaces.



GLOSSY COLLECTION




800 X 800 MM



Finish
Glossy


Random
3

Thickness
9 MM



2023

A tribute to life, color, and joy.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2024

Sophisticated paradise.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2025


Add touch of class to any corner.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2026

Keep it minimal and exclusive.



GLOSSY COLLECTION



800 X 800 MM




Finish
Glossy

Random
4

Thickness
9 MM

2027

Create spaces filled with elegant
that is impossible to resist sophistication.



GLOSSY COLLECTION



800 X 800 MM



Finish
Glossy


Random
3

Thickness
9 MM



2028

Warm wood design with
all the advantages of ceramics.



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	ISO-10545-2
Surface Flatness	±0.5 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYDROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15



GLOSSY COLLECTION

We've taken the freedom to design a surface that apart from being absolutely smooth is an expression of a minimalist charm. It comes in the ideal size of 600x1200 MM and is impeccably perfect for constructing spaces that are new.

600 X 1200 MM

GLOSSY COLLECTION



600 X 1200 MM




3010

Finish
Glossy

Random
4

Design that gives an air of serenity and harmony to any corner.


Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3012

Finish
Glossy

Random
4

Gives naturalness and distinction to any corner.

Thickness
9 MM





GLOSSY COLLECTION



600 X 1200 MM




3011

Finish
Glossy

Random
5

A series inspired from
the rustic and vintage style.

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3014

Many styles
and possibilities.

Finish
Glossy

Random
4


Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3015

Finish
Glossy

Random
6

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3016

Finish
Glossy

Random
5

Thickness
9 MM

Designed exclusively
to surprise.



GLOSSY COLLECTION



600 X 1200 MM




3017

Finish
Glossy

Random
3

Thickness
9 MM

Empowered and elegant.



GLOSSY COLLECTION



600 X 1200 MM




3018

Creating a focal point
in very special interiors.

Finish
Glossy

Random
4

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3019

It combines beauty,
elegance and sobriety.

Finish
Glossy

Random
4

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3020

A classic series able to bring an innovative appeal to living spaces of all kinds.

Finish
Glossy

Random
4

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3022

A design that reflects restraint and minimalism.

Finish
Glossy

Random
4

Thickness
9 MM





GLOSSY COLLECTION



600 X 1200 MM




3021

Finish
Glossy

Random
3

Intense in contrasts yet
inspires us with the serene calm.

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3023

Elegance in marble.

Finish
Glossy

Random
4

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3024

Add a pop of pattern
with our gorgeous tiles.

Finish
Glossy

Random
4

Thickness
9 MM






GLOSSY COLLECTION



600 X 1200 MM




3025

Finish
Glossy

Random
3

Embracing seamless
simplicity and structure.

Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




3026

Finish
Glossy

Random
5

Thickness
9 MM

Experimenting with
statement prints.



GLOSSY COLLECTION



600 X 1200 MM




3027

Finish
Glossy

Random
5

Thickness
9 MM

Design which will make a
WOW statement in your home.



GLOSSY COLLECTION



600 X 1200 MM




3028

Finish
Glossy

Random
3

Thickness
9 MM

Adds a great character to your space.



GLOSSY COLLECTION



600 X 1200 MM



3029


3030

Finish
Glossy

Random
1

Thickness
9 MM

Embracing seamless simplicity and structure.



GLOSSY COLLECTION



600 X 1200 MM




3031

Finish
Glossy

Random
6


Thickness
9 MM



GLOSSY COLLECTION



600 X 1200 MM




Finish
Glossy

Random
1

Thickness
9 MM

3032


Enhance, embellish, and elevate
your design with bold classic patterns!



HIGH GLOSSY COLLECTION



600 X 1200 MM




3901

Finish
High Glossy

Random
3

Combine style and performance
and bring life to any space.


Thickness
9 MM



HIGH GLOSSY COLLECTION



600 X 1200 MM




3902

Finish
High Glossy

Random
4

A flawless and unique design!

Thickness
9 MM



HIGH GLOSSY COLLECTION



600 X 1200 MM




3903

Finish
High Glossy

Random
4

A design swirling with
characteristic and sophistication.


Thickness
9 MM



HIGH GLOSSY COLLECTION



600 X 1200 MM




3904

Finish
High Glossy

Random
4

Offers immaculate
tranquility and elegance.


Thickness
9 MM



HIGH GLOSSY COLLECTION



600 X 1200 MM




3905

Finish
High Glossy

Random
4

Thickness
9 MM


Create the perfect
chic atmosphere!



HIGH GLOSSY COLLECTION



600 X 1200 MM




3906

Finish
High Glossy

Random
4

Thickness
9 MM


Perfect for experiencing in both
domestic interiors and in contract spaces.



HIGH GLOSSY COLLECTION



600 X 1200 MM




3907

Finish
High Glossy

Random
3

erfect for modern
design schemes.

Thickness
9 MM



CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	ISO-10545-2
Surface Flatness	±0.5 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYDROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15



MTH
SUPERIOR EXPERT AFFORDABLE

 0776180093

www.mthtiles.com